

# Australain Bulk Alliance

A.B.N 39 087 280 260

## PULSE RECEIVAL STANDARDS – 2001/2002 SEASON REFERENCE CHART



### Application

- The following standards apply for the receival of Field Peas, Chick Peas, Lupins and Vetch
- For details regarding the receival standards for all pulses refer to the AusBulk Commodity Classification Manual
- Refer Commodity Classification Manual Section 3 for Weed Seed Limits

Grade	PEAS	PEAW	CHIC	CHKB	LUPN	VETB (L)
Grade description	Field peas	White peas	Desi type Chick Peas	Kabuli type Chick Peas	Lupins	Vetch B – Blanchfleur Vetch L- Languedoc

### Test category

### Test Code

Moisture	% max	MO	14.0					
Instrument			Kett	Kett	Kett	Kett	Kett	Marconi
Conversion			Pea	Pea	Pea	Pea	Oat	CCM
<b>Purity</b>	% min by weight		97.0	97.0	97.0	97.0	97.0	97.0
<b>Defective material of which ascochyta blight</b>	% max by weight	<b>DG</b>	7.0	7.0	6.0	4.0	7.0	5.0
	% max by weight				1.0	1.0		
<b>Foreign material Of which Unmillable material</b>	% max by weight	<b>TF</b>	3.0	3.0	3.0	3.0	3.0	3.0*
	% max by weight	<b>SA</b>	0.5	0.5	0.5	0.5	0.5	0.5
<b>Poor colour</b>	% max by weight	<b>PC</b>	N/a	N/a	2.0	2.0	**	1.0
<b>Snails</b>	Count from 200 grams	<b>SN</b>	1					
<b>Field insects</b>	Count from 200 grams	<b>FI</b>	15					
<b>Other limits</b>								
* Wild Radish Count in Foreign Material	% by weight	<b>OC</b>	n/a	n/a	n/a	n/a	n/a	2.0
** Bitter Dark Seeded Lupins	Count from 200 grams	<b>BD</b>	n/a	n/a	n/a	n/a	2	n/a
** Discoloured Lupins (Reddish/Tan coloured) of which	Count from 200 grams	<b>DL</b>	n/a	n/a	n/a	n/a	36	n/a
** Phomopsis Infected Lupins (grey mould discoloration of the seed coat)	Count from 200 grams	<b>PL</b>	n/a	n/a	n/a	n/a	17	n/a

### Weed Seed Contaminants Count Per 200 Grams

### Code Count

<b>Type 1:</b> Mexican Poppy, Jute, Three Cornered Jack, Horned Poppy, Long Headed Poppy, Wild Poppy, Poppy (Field), Parthenium Weed, New Zealand Spinach	<b>S1</b>	4	
<b>Type 2:</b> Starburr, Crow Garlic, Wild Garlic, Ragweed, Coriander, Rattlepods, St. Johns Wort, Opium Poppy, Castor Oil Plant, Darling Pea	<b>S2</b>	NIL	
<b>Type 3(a):</b> Dodder, Thornapple, Cottonseed, Cape Tulip, Caltrop, Noogoora Burr, Bathurst Burr	<b>3A</b>	1	
<b>Type 3(b):</b> Vetch (wild tare and commercial)****	<b>3B</b>	2	
<b>Type 3(c):</b> Heliotrope (blue and common)	<b>3C</b>	4	
<b>Type 4:</b> Hoary Cress, Skeleton Weed, Bindweed (Field), Paddy Melon, Darnel, Hexham Scent, (Melilotus), Cutleaf Mignonette, Mintweed, Variegated Thistle, Nightshades	<b>S4</b>	10	
<b>Type 5:</b> Creeping Knapweed, Russian Knapweed, Salvation Jane, Sesbania Pea	<b>S5</b>	20	
<b>Type 6:</b> Saffron Thistle, Colombus Grass, Johnson Grass	<b>S6</b>	5	
<b>Type 7(a):</b> Chickpeas, Soybean, Lentils, Lupin, Peas (Field), Faba Beans, Cowpea, Corn, Maize (where applicable)	<b>7A</b>	10	
<b>Type 7(b):</b> Bifora, Brome grass, Threehorn Bedstraw, Mallow, Oats, Wild Oats, Barley, Cereal Rye, Wheat^	<b>7B</b>	10	
<b>Type 7(c):</b> Safflower, Sunflower	<b>7C</b>	1	
<b>Type 8:</b> Bellvine	<b>8</b>	100	
<b>Small Foreign Seeds</b> Yellow Burrweed, Canola, Wild Turnip, Ryegrass, Lucerne Seed, Medic Seed, Clover Seed, Phalaris, Wireweed, Dock, Sow Thistle.#	% max by weight	<b>SS</b>	1

\*\*\*\* Maximum 2 tare in vetch, commercial vetch unlimited

^# Refer Commodity Classification Manual for expansive list (section 9)