

DURUM WHEAT RECEIVAL STANDARDS – 2001/2002 SEASON REFERENCE CHART



Application

The following standard applies to the receipt of Durum wheat

Standard

- The wheat must be of the varieties Kamilaroi (K8), Wollaroi (W9), Yallaroi (Y2), Tamaroi (T15) and Gunderoi (G17).
- Durum grades must conform to the AWB general wheat receipt standards for the ASW grade with the exception of the following:
 - ❖ Subject to DBS on a site by site basis

Category		Test Code ₂	DR1	DR2	DR3	FEED ₁
Protein content	Minimum % (at 11% moisture basis)	PR	❖	❖	10.0	Less than 10.0
Test weight		TW	74	74	71	62
Screenings below the screen	Maximum (% by weight)	SC	❖	❖	10	15
Unmillable material above the screen	Maximum (% by weight)	SA	0.6	0.6	1.2	2.6
Small foreign seeds	Maximum (% by weight)	SS	0.6	0.6	1.2	1.2
Defective grains			Where no falling number equipment is available on site			
Sprouted grains			1 (ES)	1 (ES)	3	Greater than 3
(ES) only grain exhibiting early stages of sprouting are acceptable.	Maximum % by count	SP				
Site daily running sample.	Minimum (sec)	FN	300	300	200	Less than 200
			Where falling number equipment is available on site.			
Falling Number	Minimum (seconds)	FN	300	300	200	Less than 200
Fungal Staining	Maximum % by count	FS	3	5	20	50
Dry Green/Frosted	Maximum % by count	GS	1	2	2	Greater than 2
Bread wheat	Maximum % by count	BW	3	3	5	Greater than 5
Vitreous	Minimum % by count	VK	90	80	70	N/A
Foreign grain (Barley contamination)	Maximum seeds per ½ litre	S8	50	50	150	400

NOTES:

- Any loads that do not comply to these minimum standards for Durum are to be classified as FEED wheat. (Note: loads must also conform to the general wheat receipt standards for FEED to be classified as FEED).
- Where a load is classified at a grade lower than DR1, record on the weighnote the additional test with the appropriate Test Code and Value. For Test Codes not listed refer to the 2001/2002 AusBulk Wheat Receipt Chart.