

SOFT WHEAT RECEIVAL STANDARDS – 2001/2002 SEASON REFERENCE CHART



Application

The following standard applies to the receipt of Soft wheat

Standard

1. The wheat must be of the varieties Bindawarra, Tatiara, Wyuna, Vectis, Bowie, Buckley, Tincurrin, Datatine Corrigan, or Anlace.
 2. Soft grades must conform to the AWB general Wheat Receival Standards for the ASW grade.
- ❖ Subject to DBS on a site by site basis

Category		Test Code ₂	SFT1	SFT2	SFT3
Test Weight	Minimum	TW	74	68	68
Protein content	Maximum %	PR	❖	11.5%	No limit
Screenings below the screen	Maximum (% by weight)	SC	❖	10%	10%
Unmillable material above the screen	Maximum (% by weight)	SA	0.6%	1.2%	1.2%
Small Foreign Seeds	Maximum (% by weight)	SS	0.6%	1.2%	1.2%

DEFECTIVE GRAINS

Sprouted Grains

WHERE **NO** FALLING NUMBER EQUIPMENT IS AVAILABLE ON SITE

(ES) only grain exhibiting early stages of sprouting are acceptable.	Maximum % by count	SP	1 (ES)	2 (ES)	3
			WHERE FALLING NUMBER EQUIPMENT IS AVAILABLE ON SITE.		
Falling Number	Minimum (seconds)	FN	300	250	200
Fungal Staining	Maximum % by count	FS	5	15	15
Pink Fungal Staining	Maximum % by count	PF	2	5	5
Dry Green/Frosted	Maximum % by count	GS	1	10	10
Type 6	Maximum seeds per ½ litre	S6	10	50	50
Type 7	Maximum seeds per ½ litre	S7	1	10	10
Type 8 (Foreign Grain)	Maximum seeds per ½ litre	S8	50	150	150

NOTES:

- 1 Any loads that do not comply to these minimum standards for Soft are to be classified as AGP1 wheat. (Note: loads must also conform to the general wheat receival standards for AGP1 or FEED to be classified as FEED).
- 2 Where a load is classified at a grade lower than SOFT, record on the weighnote the additional test with the appropriate Test Code and Value. For Test Codes not listed refer to the 2001/2002 AusBulk Wheat Receival Chart.
- 3 The maximum varietal classification for loads that fail the Soft grade is AGP1.