

**PEAS & CHICKPEA RECEIVAL STANDARDS –  
2002/2003 SEASON REFERENCE CHART**



**Application**

1. The following standards apply for the receipt of Field Peas and Chick Peas
2. For details regarding the receipt standards for all pulses refer to the AusBulk Commodity Classification Manual
3. Refer Commodity Classification Manual Section 9 for Weed Seed Limits

Grade	PEAS	PEAW	CHIC	CHKB
Grade description	Field peas	White peas	Desi type Chick Peas	Kabuli type Chick Peas

**Test category**

**Test Code**

<b>Moisture</b>	% max	<b>MO</b>	14.0			
<b>Instrument</b>			<b>Kett</b>	<b>Kett</b>	<b>Kett</b>	<b>Kett</b>
<b>Conversion</b>			<b>Pea</b>	<b>Pea</b>	<b>Pea</b>	<b>Pea</b>
<b>Purity</b>	% min by weight		97.0	97.0	97.0	97.0
<b>Defective material</b>	% max by weight	<b>DG</b>	7.0	7.0	6.0	3.0
of which	% max by weight				1.0	1.0
<b>ascochyta blight</b>						
<b>Foreign material</b>	% max by weight	<b>TF</b>	3.0	3.0	3.0*	3.0
Of which	% max by weight	<b>SA</b>	0.5	0.5	0.5	0.5
<b>Unmillable material</b>						
<b>Poor colour</b>	% max by weight	<b>PC</b>	N/a	N/a	2.0	1.0
<b>Snails</b>						
<b>Round</b>	Count from 200 grams	<b>SNR</b>	1			
<b>Conical</b>		<b>SNC</b>				
<b>Field insects</b>	Count from 200 grams	<b>FI</b>	15 Dead or Alive			

**Other limits**

**Weed Seed Contaminants Count Per 200 Grams**

**Code Count**

<b>Type 1:</b> Mexican Poppy, Jute, Three Cornered Jack, Horned Poppy, Long Headed Poppy, Wild Poppy, Poppy (Field), Parthenium Weed, New Zealand Spinach	<b>S1</b>	4
<b>Type 2:</b> Starburr, Crow Garlic, Wild Garlic, Ragweed, Coriander, Rattlepods, St. Johns Wort, Opium Poppy, Castor Oil Plant, Darling Pea	<b>S2</b>	NIL
<b>Type 3(a):</b> Dodder, Thornapple, Cottonseed, Cape Tulip, Caltrop, Noogoora Burr, Bathurst Burr	<b>3A</b>	1
<b>Type 3(b):</b> Vetch (wild tare and commercial)	<b>3B</b>	2
<b>Type 3(c):</b> Heliotrope (blue and common)	<b>3C</b>	4
<b>Type 4:</b> Hoary Cress, Skeleton Weed, Bindweed (Field), Paddy Melon, Darnel, Hexham Scent, (Melilotus), Cutleaf Mignonette, Mintweed, Variegated Thistle, Nightshades	<b>S4</b>	10
<b>Type 5:</b> Creeping Knapweed, Russian Knapweed, Salvation Jane, Sesbania Pea	<b>S5</b>	20
<b>Type 6:</b> Saffron Thistle, Columbus Grass, Johnson Grass	<b>S6</b>	5
<b>Type 7(a):</b> Chickpeas, Soybean, Lentils, Lupin, Peas (Field), Faba Beans, Cowpea, Corn, Maize (where applicable)	<b>7A</b>	10
<b>Type 7(b):</b> Bifora, Brome grass, Threehorn Bedstraw, Mallow, Oats, Wild Oats, Barley, Cereal Rye, Wheat^	<b>7B</b>	10
<b>Type 7(c):</b> Safflower, Sunflower	<b>7C</b>	1
<b>Type 8:</b> Bellvine	<b>S8</b>	100
<b>Small Foreign Seeds</b> Yellow Burrweed, Canola, Wild Turnip, Ryegrass, Lucerne Seed, Medic Seed, Clover Seed, Phalaris, Wireweed, Dock, Sow Thistle.#	% max by weight	<b>SS</b> 1

# ^Refer to the Commodity Classification manual for a more expansive list

\* Including not more than 2% Field Peas by weight