

**Australian Bulk Alliance**  
A.B.N 39 087 280 260  
**TRITICALE RECEIVAL STANDARDS –**  
**2003/2004 SEASON REFERENCE CHART**



**Application**

The following standards apply for the receipt of Triticale

**Standard**

- **TRIT** = Triticale (No.1) Receival Standards
- **TRIF** = Triticale (Feed) Receival Standards
- For details regarding the receipt standards for triticale refer to the AusBulk Ltd Commodity Classification Manual

| <b>Category</b>   |                       | <b>Code</b> | <b>TRIT</b> | <b>TRIF</b> |
|---|-----------------------|-------------|-------------|-------------|
| Moisture content  | Maximum %             | <b>MO</b>   | 12.5        | 12.5        |
| Test weight   | Minimum kg/hl         | <b>TW</b>   | 65          | 60          |
| Screenings -below the screen 2.0mm slotted  | Maximum % (by weight) | <b>SC</b>   | 10          | 15          |
| <b>Unmillable material</b> - above the screen   | Maximum % (by volume) | <b>SA</b>   | 5           | 10          |
| <b>DEFECTIVE GRAINS</b> Maximum % By 300 grain count  |                       |             |             |             |
| Sprouted Grains   |                       | <b>SP</b>   | 2           | No Limit    |
| Insect damaged Grains   |                       | <b>ID</b>   | 2           | 4           |
| Stained Grains  |                       | <b>FS</b>   | 15          | 50          |
| Of Which  |                       |             |             |             |
| Pink Grains   |                       | <b>PF</b>   | 5           | 5           |
| Dry Green, Sappy and Frost Distorted grains   |                       | <b>GS</b>   | 2           | No Limit    |
| Bin Burnt Mouldy or Musty   |                       |             | Nil         |             |
| <b>SEEDS CONTAMINANTS - Maximum per ½ litre. Type 1 = Individual Seed Basis</b>   |                       |             |             |             |
| Type 1: Three Cornered Jack, Poppy, Parthenium Weed   |                       | <b>S1</b>   | 8           | 8           |
| Type 2: Coriander, Wild Garlic, Ragweed, St Johns Wort  |                       | <b>S2</b>   | NIL         | NIL         |
| Type 3a: Caltrop, Bathurst Burr, Cape Tulip   |                       | <b>3A</b>   | 2           | 2           |
| Type 3b: Vetch  |                       | <b>3B</b>   | 4           | 4           |
| Type 3c: Heliotrope   |                       | <b>3C</b>   | 8           | 8           |
| Type 4: Cutleaf Mignonette, Skeleton Weed, Nightshades, Mellilotus, Variegated Thistle  |                       | <b>S4</b>   | 20          | 20          |
| Type 5: Knapweed, Salvation Jane  |                       | <b>S5</b>   | 40          | 40          |
| Type 6: Colombus Grass, Johnson Grass, Saffron Thistle  |                       | <b>S6</b>   | 50          | 50          |
| Type 7: Pulses, Corn, Sunflower, Safflower  |                       | <b>S7</b>   | 10          | 100         |
| Type 8: Cereal Grains, Turnip Weed, Black Oats, Brome Grass, Lucerne Pods.  |                       | <b>S8</b>   | 150         | 400         |
| Small Foreign Seeds   | Maximum % (by weight) | <b>SS</b>   | 1.2         | NA          |
| <b>OTHER CONTAMINANTS - Maximum per ½ litre</b>   |                       |             |             |             |
| Stored Grain Insects – Live   | Maximum per 1/2 litre |             | NIL         | NIL         |
| Dead  | Includes Peas Weevil  | <b>DI</b>   | 5           | 5           |
| Field Insects   | Maximum per 1/2 litre | <b>FI</b>   | 3           | 3           |
| Sitona Weevils  | Maximum per 1/2 litre | <b>SI</b>   | 10          | 10          |
| Sand & Earth  | Maximum per 1/2 litre |             | NIL         |             |
| Objectionable Material – Sticks, stones, glass, concrete or any other commercially unacceptable contaminant, smell or taste                 |                       |             | NIL         |             |
| Pickled and Coloured Grain  |                       |             | NIL         |             |
| Odours, Sour & Musty, or Post Harvest Mouldy Grain  |                       |             | NIL         |             |
| Chemical Residues – Residues of any chemical compound not approved for malting barley or used in contravention of the labelled instructions |                       |             | NIL         |             |
| SNAILS: Dead or Alive   | Maximum per 1/2 litre |             |             |             |
| Round   |                       | <b>SNR</b>  | 1           | 5           |
| Conical   |                       | <b>SNC</b>  |             |             |

|  |                              |           |     |     |
|--|------------------------------|-----------|-----|-----|
| Smuts / Ergots:  |                              |           |     |     |
| Ball & Gall Smut or other smut species, cereal ergots. |                              |           | NIL | NIL |
| Ergot of Ryegrass                                      |                              |           | NIL | NIL |
| Triticale Ergot  | Maximum pieces per 1/2 litre | <b>TE</b> | 1   | 1   |

\*\* Nominated weed seeds in Triticale are equivalent to those for Wheat, with TRIT equivalent to AGP1, and TRIF equivalent to FED1. For a more expansive list refer to the CCM.