



1255 VERSION 1

WEED SEED CONTAMINANT TYPES FOR WHEAT

2007/2008 SEASON

DOCUMENT DATE

1/10/07

OWNER COM

APPLICATION

All ABA

Common Name	Type	Common Name	Type	Common Name	Type	Common Name	Type
Amsinckia	S	Corn	7	Medics (Pods)	*	Sand Oats	8
Australian Bindweed	8	Corn Gromwell	8	Medics (Seeds)	S	Sesbania Pea	5
Australian Carrot	8	Cottonseed	3A	Melilot (King Island)*	4	Sheepweed	8
Australian Phalaris	S	Cowpea	7	Mexican Poppy	1	Skeleton Weed	4
Ball Clover	S	Creeping Knapweed	5	Mignonette (Cutleaf)	4	Slender Celery	S
Ball Mustard	S	Crow Garlic	2	Milk Thistle (Pods)	*	Small Burrgrass	8
Barley (6 Row)	8	Cutleaf Mignonette	4	Milk Thistle (Seeds)	S	Sorghum (Grain)	8
Barley (2 Row)	8	Darling Pea	2	Millet (Japanese)	8	Sorrel	S
Barley Grass	8	Darnel	4	Mintweed	4	Sowthistle	S
Barnyard Grass	8	Dock	S	Muskweed	8	Soybean	7
Bathurst Burr	3A	Dodder	3A	Mustard	S	Spear Grass	8
Beans (Faba)	7	Double Gees	1	Mustard (Ball)	S	Spear Thistle	8
Bedstraw (Threehorn)	8	Drake	4	Mustard (Indian Hedge)	S	Spiny Burr Grass	8
Bifora (Monkey Face Or Carrot Weed)	8	Durum^	8	New Zealand Spinach	1	Spiny Emex	1
Billy Buttons	8	Evening primrose		Nightshades	4	Starburr	2
Bindy-Eye	8	Faba Beans	7	Noogoora Burr	3A	St. Johns Wort	2
Bindweed (Australian)	8	Fat Hen	S	Oats (Black)	8	Sunflower	7
Bindweed (Black)	8	Fescue	S	Oats (Common)	8	Thistle Milk (Pods)	*
Bindweed (Field)	4	Field Peas	7	Oats (Sand)	8	Thistle Milk (Seeds)	S
Black Bindweed	8	Galvanised Burr	8	Oats (Wild)	8	Thistle (Saffron)	6
Black Oats	8	Garlic (Crow) Garlic (Wild)	2	Onion Weed	8	Thistle (Spear)	8
Bladder Soapwort	S	Grain Sorghum	8	Opium Poppy	1	Thistle (Variegated)	4
Brome (Great)	8	Great Brome	8	Paddy Melon	4	Tick Grass	8
Brome (Soft)	8	Gromwell (Corn)	8	Paradoxa Grass (Glumed)	8	Thornapple	3A
Brome (Sterile)	8	Hares Ear	S	Paradoxa Grass (Seed)	S	Three Cornered Jack	1
Broomrape	2	Hedge Mustard	S	Parthenium Weed	1	Threehorned Bedstraw	8
Buchan Weed	8	Heliotrope (Blue)	3C	Paterson's Curse	5	Triticale	8
Bulls Head	3A	Heliotrope (Common)	3C	Peas (Field)	7	Turnip (Mediterranean)	S
Burr Grass (Spiny)	8	Hexham Scent (Melilotus)*	4	Peppergrass	S	Turnip (Wild)	S
Burrweed (Yellow)	S	Hoary Cress	4	Phalaris (Australian)	S	Turnip Weed (Ball)	8
Caltrop	3A	Horehound	S	Poached Egg Daisy	8	Urochloa Grass	S
Canary Grass (Lesser)	S	Horned Poppy	1	Poppy (Field)	1	Variegated Thistle	4
Canary Grass (Wild)	S	Indian Weed	8	Poppy (Horned)	1	Verbena	S
Canola	S	Johnson Grass	6	Poppy (Mexican)	1	Vetch (Commercial)	3B
Cape Tulip	3A	Jute	1	Poverty Weed (Yellow)	8	Vetch (Wild Tare)	3B
Carrot (Australian)	8	Khaki Weed	8	Radish (Wild) Seed	S	Wards Weed	8
Castor Oil Plant	2	Knapweed (Creeping & Russian)	5	Radish (Wild) Pod	*	Wheatgrass	8
Cats Head	3A	Knotweed	S	Ragweed	2	Wild Canary Grass	S
Celery (Slender)	S	Lentils	7	Rapeseed	S	Wild Garlic	2
Cereal Rye	8	Lesser Canary Grass	S	Rattlepods	2	Wild Oats	8
Charlock	S	Lettuce	S	Rice	8	Wild Poppy	1
Chickpeas	7	Linseed	8	Russian Knapweed	5	Wild Radish (Seed)	S
Clover (Ball)	S	Long Headed Poppy	1	Rye (Cereal)	8	Wild Radish (Pod)	*
Clover (Pods)	*	Lucerne (Pods)	*	Ryegrass	S	Wild Sage	S
Clover Broomrape	S	Lucerne (Seed)	S	Safflower	7	Wild Turnip	S
Cockspur (Maltese)	S	Lupin	7	Saffron Thistle	6	Wireweed	S
Colocynth	1	Maize	7	Sage (Wild)	S	Yellow Burrweed	S
Colombus Grass	6	Mallow (Marsh)	8	Saltbush	S	Yellow Poverty Weed	8
Coriander	2	Maltese Cockspur	S	Salvation Jane	5		

*Hexham Scent (Melilotus indicus) may only be received if there is no discernable tainting odour imparted to the wheat

^Durum (*Triticum durum*) contamination of bread wheat (*Triticum aestivum*)